• Safety Notice

Please read these instructions carefully to insure proper use of your device.
1. Please check all warning labels and all markings on this device.
2. Do not expose this device to water or excessive heat.
3. Do not place any foreign objects in the device.
4. Do not attempt to repair the device or open the unit as this will void the warranty.

• ABOUT THIS PRODUCT

1x4 HDMI splitter distributes 1 HDMI source to 4 HDMI displays simultaneously. Apply for STB, DVD, Media Player, Laptop, D-VHS and other HD-Player devices. It's compatible with HDMI 3D and 4Kx2K@60Hz.

• Features

1. Distribute 1 HDMI source to 4 HDMI displays
2. Support ultra HD resolution 4K×2K@60Hz
3. Support HDMI 3D
4. Support YUV 4:4:4
5. Support HDR
6. HDCP2.2 compliant
7. Low power consumption
8. Plug and play

• Package Contents

HDMI Splitter×1   DC5V/1A Power   User Manual×1
   Adapter×1

• Installation Requirement

1. Source: HDMI video source, such as DVD, PS3, STB, PC, Etc.
2. Display: HDTV, projector or other display with HDMI port
3. HDMI cable: HDMI 2.0 standard cable (can support 4Kx2K@60Hz)

• Panel Description

HDMI Output   HDMI Input   HDMI Output   Power Input
                                            (DC5V/1A)

                           Power indicator

Output LED   Output LED

• Installation and Connection

1. Connection

DVD

HDMI Splitter

Display   Power

4   2

3   1

2. Connection instruction

1) Connect the HDMI video source output port to the splitter input port by HDMI cable
2) Connect the splitter output port to HDMI display by HDMI cable
3) Set the Display input to right HDMI channel
4) Power on the splitter(Power indicator will light on and output led will show the working status)

• FAQ

Q: No image output?
A: 1) Check the power supply of splitter, make sure the power light is on.
   2) Check if the HDMI cables are connected well.
   3) Check and make sure the TV has been set up to the right input.
   4) While connect with PC or notebook via HDMI, please make sure
      the output mode is mirror or extend.
Q: Display is unstable or no audio?
A: 1) Check and make sure all connections are correct.
   2) Try to directly connect HDMI source to display, if it is the same,
      please change the source device.
   3) Use high-quality HDMI 2.0 cable for transmitting 4K×2K@60Hz
      signal.
Q: Display can not output 4K×2K UHD image when all connections
   are correct?
A: 1) Check and make sure the input sources are 4K×2K@60Hz UHD
      signal.
   2) Check and make sure the TV is support 4K×2K@60Hz resolution.
   3) Check if the HDMI cables are compliant HDMI2.0 standard.
Q: Display can not output HDR effect image when all connections are
   correct?
A: 1) Check and make sure the input sources are support HDR effect.
   2) Check and make sure the TV is support HDR effect image.

• Specification

Items	Specifications
Input ports	1 x HDMI
Output ports	4 x HDMI
Power indicator led	1 xLED
Signal indicator led	4 xLED
HDMI Version	Compatible with HDMI 2.0, HDMI 1.4
HDCP Version	Compatible with HDCP 1.4, HDCP 2.2
Transmission rate	18Gbps
Frequency Range	25MHz~594MHz
Video format supported	Support 3D video and 4K×2K@30/60Hz ultra HD video
Audio format supported	Support standard audio and DSD (Direct Stream Digital) and HD(HBR) audio
HDMI Resolution	480i/480p/576i/576p/720p/1080i/1080p/ 4K×2K@24/25/30/60Hz
HDR	Supports HDR
Working temperature	0℃ ~ 60℃
Power supply	DC5V/1A
Power consumption	≤3W
Dimensions	158.55mm(L)x82.80mm(W)x16mm(H)
Weight	122g
Color	Black

Disclaimer

1X4 HDMI Splitter

4K X 2K
UHD

HDR

HDMI™
HIGH-DEFINITION MULTIMEDIA INTERFACE