

# True 4K HDMI Repeater with Audio Embedder and De-Embedder

## VC882

The VC882 is a True 4K HDMI Repeater with Audio Embedder and De-Embedder capable of embedding or de-embedding the HDMI audio signal, while supporting the HDMI signal transmission distance up to 5 meters with True 4K resolution. Apart from embedding a separate audio to an outgoing HDMI signal, the VC882 also allows audio extraction from the HDMI signal, and outputs the extracted signal through an alternative audio system.

In terms of the audio aspect, the VC882 works with versatile pass-through of HDMI audio formats LPCM2.0, Dolby Digital 2.0, Dolby Digital 5.1 and DTS Digital 5.1. The VC882 also supports ARC function which eliminates the need of bulky cable setups when connecting an AV receiver, or a home theater system to a TV. When it comes to the video aspect, the VC882 supports True 4K (4096 x 2160 @ 60Hz 4:4:4) in HDR10, HDR10+, Dolby Vision and Hybrid Log-Gamma (HLG) formats to provide staggeringly crisp images. It is HDCP 2.2-compliant for content protection. The compact enclosure design, True 4K signal transmission, and embedding / de-embedding capability have made the VC882 ideal for training and conference rooms, video production, and home theater installations.



Front View




Rear View




## Features

- Embeds audio to the HDMI output or de-embeds audio from the HDMI signal and outputs the extracted signal through an alternative audio system
- Easy embedding / de-embedding mode selection via 2 / 4-pin DIP switches
- HDMI (3D, Deep Color, True 4K); HDCP 2.2 compliant
- True 4K video quality — supports resolutions up to 4096 x 2160 @ 60Hz (4:4:4)
- Supports True 4K / HDR formats — HDR10, HDR10+, Dolby Vision and Hybrid Log-Gamma (HLG)
- Supports HDMI audio formats — LPCM 2.0, Dolby Digital 2.0, Dolby Digital 5.1 and DTS Digital 5.1
- Compact, portable metal enclosure designed for HDMI Lock-pro
- Firmware upgradable



Front View



Rear View

## Specifications

VC882	
<b>LEDs</b>	
Power	LED (blue) x1
<b>Reset Button</b>	Push button x1 (to activate mode configuration)
<b>Switches</b>	
<b>Mode Selection</b>	<p><b>MODE 1 (2-PIN)</b>            PIN#1 (Enable / Disable Audio Embedder Function)            PIN#2 (Audio embed from Coaxial / Stereo)</p> <p><b>MODE 2 (4-PIN)</b>            PIN#1 (Enable / Disable Audio Extractor Function)            PIN#2 (Enable / Disable ARC function)            PIN#3&amp;4 (EDID mode selection: Bypass, 5.1 CH, 2 CH, Learn)</p>
<b>Video Input</b>	
Interfaces	1 x HDMI Type A Female (Black)
Impedance	100 Ω
Max. Distance	5 meters
<b>Video Output</b>	
Interfaces	1 x HDMI Type A Female (Black)
Impedance	100 Ω
Max. Distance	5 meters
<b>Video</b>	
Max. Data Rate	18 Gbps
Max. Pixel Clock	600 MHz
Compliance	HDMI (3D, Deep Color, True 4K); HDCP 2.2
Max. Resolution	4096 X 2160 @ 60 Hz (4:4:4) 8 bit
<b>Audio</b>	
<b>Output</b>	Coaxial x1 Format: LPCM2.0, Dolby Digital 2.0, Dolby Digital 5.1, DTS Digital 5.1, 3-pin terminal block x 1 Format: Analog, stereo, unbalanced, LPCM2.0
<b>Input</b>	Coaxial x1 Format: LPCM2.0, Dolby Digital 2.0, Dolby Digital 5.1, DTS Digital 5.1, 3-pin terminal block x 1 Format: Analog, stereo, unbalanced, LPCM2.0
<b>Connectors</b>	
Power	1 x DC Jack, 5V 1A, Lockable
Firmware Upgrade	1 x Micro USB
<b>Power Consumption</b>	DC5V:2.905W:9.92BTU
<b>Environmental</b>	
Operating Temperature	0 – 40 °C
Storage Temperature	-20 – 60 °C
Humidity	0 – 80% RH, Non-Condensing
<b>Physical Properties</b>	
Housing	Metal
Weight	0.24 kg
Dimensions (L x W x H)	12.22 x 8.22 x 2.50 cm

### ATEN International Co., Ltd.

3F, No.125, Sec. 2, Datung Rd., Sijhih District., New Taipei City 221, Taiwan  
 Phone: 886-2-8692-6789 Fax: 886-2-8692-6767  
 www.aten.com E-mail: marketing@aten.com

Product information is subject to change without prior notice.

Released: 06/2021 V1.0

© Copyright 2021 ATEN® International Co. Ltd.  
 ATEN and the ATEN logo are registered trademarks of ATEN International Co., Ltd.  
 All rights reserved. All other trademarks are the property of their respective owners.  
 The terms HDMI, HDMI High-Definition Multimedia Interface, and the HDMI Logo are  
 trademarks or registered trademarks of HDMI Licensing Administrator, Inc.

